Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 664 (2002) 319–321
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Contents of Volume 664

Communication

Polyether phosphine oxide induced phase separable homogeneous catalysis for hydroformylation of higher olefins
L. Xiaozhong, L. Hongmei, K. Fanzhi 1

Regular Papers

Indenyl-amido titanium and zirconium dimethyl complexes: improved synthesis and use in propylene polymerization
L. Resconi, I. Camurati, C. Grandini, M. Rinaldi, N. Mascellani, O. Traverso 5

Reactivity of *cyclo*-$(PhX)_6$ (X = As, P) towards $[M_3L_2(CO)_{10}]$ (M = Ru, L = CO or NCMe; M = Fe, L = CO)
R.M. De Silva, M.J. Mays, G.A. Solan 27

Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ $\{L = NC^iPr, NC^tBu, NCCH_2Ph, 1,2\text{-}C_6H_4(NCCH_2)_2\}$
P.K. Baker, M.G.B. Drew, D.S. Moore 37

Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, $n = 1$, 2 and 3; R = Et, $n = 1$). Crystal structures of $[MoI_2(CO)_2(PPh_3)\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$
P.K. Baker, M.G.B. Drew, D.S. Moore 45

Highly selective synthesis of biphenyl by the $Pd(OAc)_2/HPA/O_2/AcOH$ catalyst system
M. Okamoto, M. Watanabe, T. Yamaji 59

Synthesis, spectroscopic and structural aspects of some tetraorganodistannoxanes with internally functionalized oxime. 2. Crystal and molecular structure of $[\{Me_2Sn(ON{=}C(Me)C_5H_4N)\}_2O\}]_2\cdot 2[2\text{-}NC_5H_4(Me)C{=}NOH]$
V. Sharma, R.K. Sharma, R. Bohra, V.K. Jain, J.E. Drake, M.E. Light, M.B. Hursthouse 66

Synthesis and structure of 1,2,4-triazol-2-ium-5-ylidene complexes of Hg(II), Pd(II), Ni(II), Ni(0), Rh(I) and Ir(I)
C. Buron, L. Stelzig, O. Guerret, H. Gornitzka, V. Romanenko, G. Bertrand 70

New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of $[Pd(bipy)_2][BAr'_4]_2$, $Ar' = [3,5\text{-}(CF_3)_2C_6H_3]$
S. Stoccoro, G. Alesso, M.A. Cinellu, G. Minghetti, A. Zucca, A. Bastero, C. Claver, M. Manassero 77

Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures
J. Parr, M.B. Smith, M.R.J. Elsegood 85

Stepwise assembly and structural characterization of oligonuclear ferrocene aggregates with boron–nitrogen backbone
K. Ma, H.-W. Lerner, S. Scholz, J.W. Bats, M. Bolte, M. Wagner 94

Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W)
S.Y. Ketkov, V.V. Kutyreva, A.M. Ob'edkov, G.A. Domrachev 106

Syntheses of polyaluminium compounds by hydroalumination reactions, chelating Lewis acids possessing two and four coordinatively unsaturated aluminium atoms
W. Uhl, M. Matar 110

Alkylderivatives of Stanna-*closo*-dodecaborate
T. Marx, B. Ronig, H. Schulze, I. Pantenburg, L. Wesemann 116

Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes;: The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$
S. Back, T. Stein, J. Kralik, C. Weber, G. Rheinwald, L. Zsolnai, G. Huttner, H. Lang 123

Elsevier Science B.V.
PII: S0022-328X(02)02083-1

Syntheses and structures of $(R_2Bi)_2E$ (E = S, Te) and *cyclo*-$(RSbSe)_2[W(CO)_5]_2$ [R = $CH(SiMe_3)_2$]
H.J. Breunig, I. Ghesner, E. Lork 130

The factors controlling the reaction of (2,4,6-triisopropylphenyl) methyl ketone with Ph_3Al and structure of $[Ph_2AlO(2,4,6\text{-tri-}^{i}Pr\text{-}C_6H_2)C{=}CH_2]_2$
A.R. Kunicki, A. Chojecki, J. Zachara, M. Gliński 136

Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Cu^{n}C_4H_9$
T. Stein, H. Lang 142

Stabilisierung niedervalenter Ni(CO)-Bausteine durch $[Ti](C{\equiv}CR)_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten
H. Lang, E. Meichel, T. Stein, C. Weber, J. Kralik, G. Rheinwald, H. Pritzkow 150

Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III)
L.Y. Goh, M.E. Teo, S.B. Khoo, W.K. Leong, J.J. Vittal 161

Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals
C. López, G. Barón, A. Arévalo, M.A. Muñoz-Hernández, J.J. García 170

The crystal structure of $[Mo(NCS)(CO)_2(\eta^3\text{-}C_3H_5)(NCMe)_2]\cdot MeCN$ and the reactions of $\{Mo(CO)_2(\eta^3\text{-}C_3H_5)^+\}$ containing species with symmetric alkynes
J.W. Goodyear, C.W. Hemingway, R.W. Harrington, M.R. Wiseman, B.J. Brisdon 176

Sodium and potassium derivatives of diphenyl(trimethylsilyl)methane
M.S. Hill, P.B. Hitchcock 182

Preparation and structural characterization of six new diorganotin(IV) complexes of the $R_2Sn(SaleanH_2)$ and $R_2Sn(SalceanH_2)$ type (R = Me, ^{n}Bu, Ph)
R. García-Zarracino, J. Ramos-Quiñones, H. Höpfl 188

Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core
Z.-G. Bian, W.-Q. Zhang, H.-X. Guan, Y.-Q. Yin, Q.-S. Li, J. Sun 201

Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}
S. Ballot, N. Noiret 208

Hemilability of the primary amine–metal bond in polyamine-(Group 6) metal carbonyl complexes
A.-C. Hervé, J.-J. Yaouanc, J.-C. Clément, H. des Abbayes, L. Toupet 214

One-pot palladium-catalyzed phosphination of aryl iodides with Ph_2PSnR_3
S.E. Martín, M. Bonaterra, R.A. Rossi 223

Preparation and organic transformation reactions of $CpFe(CO)_2SCO\text{-}3\text{-}C_6H_4\text{-}SO_2Cl$
M. El-khateeb, A. Younes 228

Steric isomerization of alkyne–dialkyltungsten complexes with a chelating diaryloxo ligand: crystal structures of C_s- and C_1-$W(\eta^2\text{-}RC{\equiv}CR)[2,2'\text{-}S(4\text{-Me-}6\text{-}R'C_6H_2O)_2](CH_2SiMe_3)_2$
Y. Takashima, Y. Nakayama, H. Yasuda, A. Nakamura, A. Harada 234

Lithiation of ferrocenylamines and vanadium dinitrogen chemistry
P.B. Hitchcock, G.J. Leigh, M. Togrou 245

Arylimido niobium(V) complexes: mononuclear and dendritic derivatives
J.M. Benito, E. de Jesús, F. Javier de la Mata, J.C. Flores, R. Gómez, P. Gómez-Sal 258

Specific solvent effect on R_2ZrCl_2 (R = butyl, ethyl) reactivity, a density functional study
E. Derat, J. Bouquant, P. Bertus, J. Szymoniak, S. Humbel 268

Synthesis and reactivity of organochalogen ester substituted η^3-butadienyl complexes of Mo(II): crystal structure of $[MoCl(CO)_2(\eta^3\text{-}CH_2C(COSePh)C{=}CH_2)(1,10\text{-phenanthroline})]\cdot 0.5\ CH_2Cl_2$
A.G.W. Hodson, R.K. Thind, M. McPartlin 277

Reactions of cyclomanganated complexes with carbon disulfide: routes to η^2-aryldithiocarboxylate-$Mn(CO)_4$ complexes and to the trithiocarbonate complex $(\mu_3\text{-}CS_3)_2Mn_4(CO)_{16}$
W.J. Mace, L. Main, B.K. Nicholson, M. Hagyard 288

Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-$\{(OC)_4Mo(Ph_2P)_2NCH_2\}_2C_6H_4$
K.G. Gaw, M.B. Smith, J.W. Steed 294

The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl)
A.C. Hillier, A. Sella, M.R.J. Elsegood 298

Note

Crystal and molecular structure of (α-naphthyl)TeI_3
E.S. Lang, G. Manzoni de Oliveira, E.T. Silveira, R.A. Burrow, E.M. Vázquez-López 306

Author Index of Volume 664 311
Subject Index of Volume 664 313
Contents of Volume 664 319